
SQL Manager.net™

EMS® Database Management Solutions



Data Comparer for PostgreSQL User's Manual

© 2012 EMS Database Management Solutions

Data Comparer for PostgreSQL
User's Manual

© 2012 EMS Database Management Solutions

All rights reserved.

This manual documents EMS Data Comparer for PostgreSQL

No parts of this work may be reproduced in any form or by any means - graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems - without the written permission of the publisher.

Products that are referred to in this document may be either trademarks and/or registered trademarks of the respective owners. The publisher and the author make no claim to these trademarks.

While every precaution has been taken in the preparation of this document, the publisher and the author assume no responsibility for errors or omissions, or for damages resulting from the use of information contained in this document or from the use of programs and source code that may accompany it. In no event shall the publisher and the author be liable for any loss of profit or any other commercial damage caused or alleged to have been caused directly or indirectly by this document.

Use of this documentation is subject to the following terms: you may create a printed copy of this documentation solely for your own personal use. Conversion to other formats is allowed as long as the actual content is not altered or edited in any way.

Document generated on: 13.11.2012

Table of Contents

Part I Welcome to EMS Data Comparer! 6

What's new 7
System requirements 8
Installation 9
Registration 10
How to register EMS Data Comparer 12
Version history 13
EMS Data Comparer FAQ 17

Part II Using Wizard Application 20

Getting started 21
Step 1 - Setting connection properties 22
Selecting databases 25
Selecting schemas for refreshing 26
Step 2 - Setting tables and fields correspondence 27
Using the context menus 31
Step 3 - Browsing data comparison results 32
Viewing BLOB data 35
Exporting comparison results 38
Step 4 - Specifying data synchronization options 40
Step 5 - Setting synchronization order 43
Step 6 - Editing synchronization script 44
Using the Find Text dialog 46
Using the Replace Text dialog 48
Step 7 - Specifying additional scripts 51
Step 8 - Start of synchronization process 52

Part III Using Configuration Files (Templates) 55

Saving templates 56
Loading templates 58
Using Console Application 59

Part IV Setting Program Preferences 61

General 62
Directories 65
Language 66
Data font 67

© 2012 EMS Database Management Solutions


Interface 68

Part V Appendix 70

SSH tunneling options 70
HTTP tunneling options 71
Configuration file format 72

© 2012 EMS Database Management Solutions

Part



1 Welcome to EMS Data Comparer!

EMS Data Comparer for PostgreSQL is a powerful and easy-to-use utility for data comparison and synchronization. You can view all the differences in the tables being compared and execute an automatically generated script to eliminate these differences. With flexible customization of the comparison and synchronization process you can select tables and fields for comparison and tune many other options. **Data Comparer for PostgreSQL** includes a graphical wizard guiding you through the data comparison and synchronization process step by step, and a command-line service for synchronizing data in one-touch.

Visit our web-site: http://www.sqlmanager.net/ for details.

Key features:

- User-friendly wizard interface
- Several interface languages available: English, German, Russian and French
- Data comparison of several tables simultaneously
- Automatic and manual selection of data being compared
- Wide range of synchronization parameters
- Unicode data support
- Partial data synchronization
- Saving data synchronization script to a file for future use
- The ability saving all the parameters specified within the current wizard session
- The command-line utility to compare and synchronize data with a template used
- The possibility to compare data using filters

Product information:

Homepage:	http://www.sqlmanager.net/en/products/postgresql/datacomparer
Support Ticket System:	http://www.sqlmanager.net/support
Register online at:	http://www.sqlmanager.net/en/products/postgresql/datacomparer/buy

© 2012 EMS Database Management Solutions

1.1 What's new

Version	Release date
Data Comparer for PostgreSQL 3.5.0.1	November 15, 2012

What's new in Data Comparer 3.5?

- Added the possibility to manually set a list of synchronized records.
- Now it is possible to check for active triggers in the synchronized tables. If there are triggers in the target table, you will be prompted to disable them.
- Added the possibility to set filters on the basis of the LIKE operator.
- Now at the "Setting tables correspondence" step a filter can be viewed as the pop-up window.

See also:

Version history

© 2012 EMS Database Management Solutions

1.2 System requirements

System requirements for Data Comparer for PostgreSQL

- 300-megahertz (MHz) processor; 600-megahertz (MHz) or faster processor recommended
- Microsoft® Windows NT4 with SP4 or later, Microsoft® Windows 2000, Microsoft® Windows 2000 Server, Microsoft® Windows XP, Microsoft® Windows 2003 Server, Microsoft Windows 2008 Server, Microsoft® Windows Vista, Microsoft® Windows 7, Microsoft® Windows 8
- 64MB RAM or more; 128MB or more recommended
- 20MB of available HD space for program installation
- Super VGA (800x600) or higher-resolution video adapter and monitor; Super VGA (1024x768) or higher-resolution video adapter and monitor recommended
- Microsoft® Mouse or compatible pointing device
- Possibility to connect to any local or remote PostgreSQL server
- Supported PostgreSQL server versions: from 7.3 up to 9.2

© 2012 EMS Database Management Solutions

1.3 Installation

If you are **installing Data Comparer for PostgreSQL for the first time** on your PC:

- download the **Data Comparer for PostgreSQL** distribution package from the download page available at our site;
- unzip the downloaded file to any local directory, e.g. *C:\unzipped*;
- run *PgDataComparerSetup.exe* from the local directory and follow the instructions of the installation wizard;
- after the installation process is completed, find the Data Comparer shortcut in the corresponding group of Windows Start menu.

If you want to **upgrade an installed copy of Data Comparer for PostgreSQL** to the latest version:

- download the **Data Comparer for PostgreSQL** distribution package from the download page available at our site;
- unzip the downloaded file to any local directory, e.g. *C:\unzipped*;
- close Data Comparer application if it is running;
- run *PgDataComparerSetup.exe* from the local directory and follow the instructions of the wizard.

See also:

System requirements

© 2012 EMS Database Management Solutions

1.4 Registration

To make it easier for you to purchase our products, we have contracted with share-it! registration service. The **Share-it!** order process is protected via a secure connection and makes online ordering by credit/debit card quick and safe. The following information about **Share-it!** is provided for your convenience.

Share-it! is a global e-commerce provider for software and shareware sales via the Internet. Share-it! accepts payments in US Dollars, Euros, Pounds Sterling, Japanese Yen, Australian Dollars, Canadian Dollars or Swiss Franks by Credit Card (Visa, MasterCard/ EuroCard, American Express, Diners Club), Bank/Wire Transfer, Check or Cash.

If you have ordered EMS software online and would like to review your order information, or if you have questions about ordering, payments, or shipping procedures, please visit our Customer Care Center, provided by **Share-it!**

Please note that all of our products are delivered via ESD (Electronic Software Delivery) only. After purchase you will be able to immediately download the registration keys or passwords and download links for archives of full versions. Also you will receive a copy of registration keys or passwords by e-mail. Please make sure to enter a valid e-mail address in your order. If you have not received the keys within 2 hours, please contact us at sales@sqlmanager.net.

Product distribution	
Data Comparer for PostgreSQL (Business license) + 1-Year Maintenance*	Register Now!
Data Comparer for PostgreSQL (Business license) + 2-Year Maintenance*	
Data Comparer for PostgreSQL (Business license) + 3-Year Maintenance*	
Data Comparer for PostgreSQL (Non-commercial license) + 1-Year Maintenance*	
Data Comparer for PostgreSQL (Non-commercial license) + 2-Year Maintenance*	
Data Comparer for PostgreSQL (Non-commercial license) + 3-Year Maintenance*	
Data Comparer for PostgreSQL (Trial version)	Download Now!

***EMS Maintenance Program** provides the following benefits:

- Free software bug fixes, enhancements, updates and upgrades during the maintenance period
- Free unlimited communications with technical staff for the purpose of reporting Software failures
- Free reasonable number of communications for the purpose of consultation on operational aspects of the software

After your maintenance expires you will not be able to update your software or get technical support. To protect your investments and have your software up-to-date, you need to renew your maintenance.

You can easily reinitiate/renew your maintenance with our on-line, speed-through

© 2012 EMS Database Management Solutions

Maintenance Reinstatement/Renewal Interface. After reinitiating/renewal you will receive a confirmation e-mail with all the necessary information.

See also:


How to register EMS Data Comparer

© 2012 EMS Database Management Solutions

1.5 How to register EMS Data Comparer

To **register** your newly purchased copy of EMS Data Comparer for PostgreSQL, perform the following:

- receive the notification letter from **Share-it!** with the registration info;
- enter the **Registration Name** and the **Registration Key** from this letter into the **Register Data Comparer for PostgreSQL** form at the Welcome Step;
- make sure that the registration process has been completed successfully – check the registration information at the startup page.



See also:

Registration

© 2012 EMS Database Management Solutions

1.6 Version history

Product name	Version	Release date
Data Comparer for PostgreSQL	**Version 3.4.0.1**	March 7, 2012
Data Comparer 2011 for PostgreSQL	**Version 3.3.0.1**	August 29, 2011
Data Comparer 2011 for PostgreSQL	**Version 3.2.0.1**	March 21, 2011
Data Comparer 2010 for PostgreSQL	**Version 3.1.0.1**	November 01, 2010
Data Comparer 2010 for PostgreSQL	**Version 3.0.0.1**	May 04, 2010
Data Comparer 2010 for PostgreSQL	**Version 2.3.0.1**	March 10, 2009
Data Comparer 2007 for PostgreSQL	**Version 2.2.0.1**	October 2, 2008
Data Comparer 2007 for PostgreSQL	**Version 2.1.0.1**	December 19, 2007
Data Comparer 2007 for PostgreSQL	**Version 2.0.0.1**	February 5, 2007
Data Comparer 2005 for PostgreSQL	**Version 1.2.0.1**	May 30, 2006
Data Comparer 2005 for PostgreSQL	**Version 1.1.0.1**	March 14, 2006

Full version history is available at http://www.sqlmanager.net/products/postgresql/datacomparer/news.

Version 3.4.0.1

- Now the comparison results can be exported to MS Excel 2007.
- The progress window now displays the time remaining and the number of records per second.
- Data Filter. Added the OR and AND operations.
- When selecting text fields as key fields, the table comparison speed significantly increased.
- Added the possibility to save a template at any step of the wizard.
- Some other improvements and bugfixes.

Version 3.3.0.1

- Added the possibility to compare data using filters;
- Added the "Trim CHAR Fields" option, which allows to trim spaces in CHAR and NCHAR fields while comparing and synchronizing data;
- Added the Jump List with a list of templates for Windows 7;
- If while synchronizing data, the number of records returned from the server is smaller than the expected amount to be synchronized (i.e. because of triggers), now a warning is written to the log-file;
- Added the path parameter to the log file in the console version;
- Some other improvements and bugfixes.

Version 3.2.0.1

- RAM usage is optimized. Now the product consumes less memory when working with large tables.
- Added the new option - 'Fill correspondence automatically' for the console version. When enabled, new tables in the database (created after generating a template) are also synchronized and compared when databases are compared.

© 2012 EMS Database Management Solutions

- When loading a template, the application can now ask for a password for the database if necessary.
- Added the possibility to encrypt passwords in the template.
- Sometimes table data were sorted incorrectly when displaying comparison results. Fixed now.
- When synchronizing databases located on one server, it is now possible to generate synchronization scripts containing table data.
- Added hints for options located on the application forms.
- Other minor improvements and bugfixes.

Version 3.1.0.1

- Added the *'Disable foreign keys'* option on the Step 4 - Specifying data synchronization options which allows disabling foreign keys when inserting or modifying data.
- Added the 'Disable triggers' option on the Step 4 - Specifying data synchronization options which allows disabling triggers when inserting or modifying data (for Data Comparer for PostgreSQL).
- The 'Before synchronization script' and 'After synchronization script' on the Step 7 - Specifying additional scripts are now executed in the same connection context where the synchronization is performed.
- Script Editor. When saving and re-opening the editor, the character set chosen in the previous session is saved.
- If any database errors occur during the comparison process, the program informs about errors and offers to continue. The error texts are displayed as a hint in the Summary dialog.
- BLOB Editor. Added the possibility to view texts in Unicode.
- The process of selecting tables to compare has become more convenient.
- Added the possibility to disable the code folding in editors.
- Added the possibility to export comparison results of all tables at once.
- Added the possibility to use filters during the code completion.
- Some other small bugfixes and improvements.

Version 3.0.0.1

1. The comparison and synchronization algorithm is significantly improved and is optimized for working with large databases:
   - The comparison speed is considerably increased, in some cases up to 5 times.
   - The synchronization speed is increased, especially in cases when compared tables are located on one server.
   - The amount of the consumed RAM is reduced, now it does not depend on the number of records in compared tables which allows avoiding the Out of Memory error.
   - The speed of auto-fill in tables and fields is increased.
2. Added the possibility to synchronize BLOB fields in InterBase.
3. Added the option for viewing the Summary for the compared objects at the Step 3 - Browsing data comparison results.
4. Synchronization with deleting of records from tables containing foreign keys could result in an error. Fixed now.
5. Added the possibility to clear the template list.
6. Some other small bugfixes and improvements.

© 2012 EMS Database Management Solutions

Version 2.3.0.1

- Added the *Commit after synchronization* option allowing to rollback all changes if an error occurs during the synchronization process.
- Added the possibility to define table synchronization order manually.
- Added the possibility to generate a summary report with table comparison results.
- It is now possible to sort and filter comparison results.
- Fields of the domain-based type could not be selected as comparison keys. Fixed now.
- Encrypted passwords within templates created with older versions of the utility could not be read properly. Fixed now.
- Some other small bugfixes and improvements.

Version 2.2.0.1

- Added tools for exporting comparison results to HTML and RTF
- Implemented support of PostgreSQL 8.3
- Optimized the array processing algorithm
- The new enhanced Script Editor
- Added the possibility to output the detailed error description in the console application
- Optimized the script generation mechanism: now only different fields are added to the synchronization script
- Added tools for printing synchronization logs
- Other minor improvements and bug-fixes

Version 2.1.0.1

- Now you are able to set up SQL statement batches which will be executed before and/or after the synchronization process
- The possibility to select DB schemas for data comparison is added
- Fields of the 'serial' type are set to 'nextval' after synchronization is complete
- Tables for which the set of key fields differs from primary key fields are synchronized significantly faster now
- Table lists are sorted by table and schema name now
- The possibility to save synchronization logs to a file is implemented
- The number of DB connections coincides with the number of selected threads
- Other minor improvements and bug-fixes

Version 2.0.0.1

- Multi-threading for data comparison
- Implementation of Private Key support for SSH authentication
- Boosted synchronization speed
- A more convenient way of browsing differences in compared data
- Implementation of the Find Text dialog in Script editor
- Processing of Foreign keys implemented
- An opportunity to select tables after data comparison
- Export of comparison results to MS Excel documents
- The ‘Detailed error messages’ option at the synchronization step
- Encrypted passwords storage
- Implemented support for UTF-8 encoding to perform data comparison

© 2012 EMS Database Management Solutions

Version 1.2.0.1

- Viewing/editing synchronization script with Script editor
- The 'Drop and create indexes' synchronization option added
- For the fields which are not in comparison the default values will be applied now (in previous versions NULL values were used)
- Now it is possible to abort synchronization on error with the help of corresponding option
- The console version of Data Comparer for PostgreSQL now allows running the application in background mode

Version 1.1.0.1

- New BLOB viewer
- Higher speed of comparing process
- The ability to view the connection information is added
- The "Use only compare key for where clause" option is available at the specifying data synchronization options step now
- The "Add computed and read-only fields to the new table" option is added
- The ability to specify the appropriate client library is implemented
- Primary key auto-setting for the fields to be compared
- Color highlight for non-identical records is implemented
- The "Commit after records" option is added

See also:

What's new

© 2012 EMS Database Management Solutions

1.7 EMS Data Comparer FAQ

Please read this page attentively if you have questions about EMS **Data Comparer for PostgreSQL**.

Table of contents

- What is EMS Data Comparer?
- What do I need to start working with EMS Data Comparer?
- What is the easiest way to configure the template files for Data Comparer console application?
- How can I register the application?
- Are there any limitations implied in the trial version as compared with the full one?
- How can I automate comparison and synchronization process?

Question/answer list

Q: *What is EMS Data Comparer?*
A: EMS Data Comparer for PostgreSQL is a powerful and easy-to-use utility for data comparison and synchronization which allows you to view differences in tables and execute an automatically generated script to synchronize data between these tables. Data Comparer for PostgreSQL includes a GUI wizard which guides you through the data comparison and synchronization process step by step, and a command-line version for synchronizing data in one-touch.

Q: *What do I need to start working with EMS Data Comparer for PostgreSQL?*
A: First of all, you must have a possibility to connect to some local or remote PostgreSQL server to work with Data Comparer. You can download PostgreSQL database server from http://www.postgresql.org/download/. Besides, you need your workstation to satisfy the system requirements of Data Comparer for PostgreSQL.

Q: *What is the easiest way to configure the template files for Data Comparer console application?*
A: You can configure the template files visually using the Data Comparer Wizard. Set all the necessary options in each step of the wizard and click the Tools | Save template button. All the options will be saved to the template file which can be used afterwards in the console application.

Q: *How can I register the application?*
A: If you have already purchased Data Comparer for PostgreSQL, you can register the product by entering the appropriate registration information. Please refer to Registration and How to register EMS Data Comparer for details.

Q: *Are there any limitations implied in the trial version as compared with the full one?*
A: The trial version of the utility allows to compare and synchronize no more than 10 tables. As for the rest, the functionality of the trial version does not differ from the full one. You can test the features implemented in Data Comparer for PostgreSQL within the 30-day trial period for free.

© 2012 EMS Database Management Solutions


Q: *How can I automate comparison and synchronization process?*
A: First go through all steps of the wizard setting the necessary options and save the template at the last step of the wizard. The template can be run with the console version of the utility from the command line. You can schedule the launch of the console with the template name as a parameter using native Windows Scheduler tool.

Scroll to top

If you still have any additional questions, please contact us at our Support Center.

© 2012 EMS Database Management Solutions

Part



2 Using Wizard Application

Data Comparer for PostgreSQL Wizard guides you through the entire comparison and synchronization process and provides an easy-to-use graphical interface allowing you to set all data comparison parameters visually.
Navigation through the steps of the wizard is performed with the help of the **Next>** and the **<Back** buttons.
Use the **Tools** button for calling the **Preferences** dialog or to **load/save a template**.

Go through the steps of the wizard and follow the wizard instructions to tune all necessary comparison options according to your needs.

Getting started
Step 1 - Setting connection properties
Step 2 - Setting tables and fields correspondence
Step 3 - Browsing data comparison results
Step 4 - Specifying data synchronization options
Step 5 - Setting synchronization order
Step 6 - Editing synchronization script
Step 7 - Specifying additional scripts
Step 8 - Start of synchronization process

See also:


Using console application
Using templates
Setting program preferences

© 2012 EMS Database Management Solutions

2.1 Getting started

This is how **Data Comparer for PostgreSQL** application wizard looks when you first start it.

This page allows you to view registration information. If you have not registered Data Comparer for PostgreSQL yet, you can do it by pressing the **Enter Registration Code...** button and specifying your registration information.



Press the **Next** button to proceed to the next step.

© 2012 EMS Database Management Solutions

2.2 Step 1 - Setting connection properties

At this step you should specify necessary settings to establish connection to PostgreSQL databases.

Connection settings
First select the **connection type**: *local* or *remote*.
Local connection is used to connect to PostgreSQL server launched on the same machine where Data Comparer for PostgreSQL is running.
The **Remote** mode allows you to connect to PostgreSQL server launched on another computer in the network.

By default the program uses local connection. It is indicated by switch **Local** selected. If you wish to establish remote connection, you should select the **Remote** switch. For remote connection you should also enter PostgreSQL host name in the **Host** field. For both types you should enter PostgreSQL port to connect through in the **Connection port** field.


Afterwards you should specify *authorization* settings: **Login** and **Password**.
The default superuser name is 'postgres' with the password specified during PostgreSQL server installation.

If necessary, use the drop-down list to specify the preferable **Client charset** to be used by the application.

After that it is necessary to *specify the database* you are going to work with: type in its name in the **Database** field or use the ellipsis  button to select one from the Select database list.

Please note that you need to have sufficient privileges to be able to write to the destination database on PostgreSQL server.

© 2012 EMS Database Management Solutions




Tunneling settings

To setup the connection via **SSH tunnel** proceed to the **Tunneling** tab and input the following values in the corresponding fields:

- **SSH host name** is the name of the host where SSH server is running
- **SSH port** indicates the port where SSH server is activated
- **SSH user name** stands for the user on the machine where SSH server is running (**Note:** it is a Linux/Windows user, not a user of PostgreSQL server)
- **SSH password** is the Linux/Windows user password

For details see SSH tunneling options.

© 2012 EMS Database Management Solutions



To use **HTTP tunneling**, just upload the tunneling script to the webserver where PostgreSQL server is located, or to any other webserver from which direct connections to your PostgreSQL server are allowed. This script exposes the PostgreSQL API as a set of web-services which is used by Data Comparer for PostgreSQL.

For details see HTTP tunneling options.

Repeat the steps above for the **target** PostgreSQL connection or just check the **Both databases on the same server** option for comparing data from databases located on the same server.


When you are done, press the **Next** button to proceed to the selecting schemas for refreshing or directly to Step 2 (if the **Select schemas...** dialog is disabled in the program preferences).

© 2012 EMS Database Management Solutions

2.2.1 Selecting databases

When the server connection settings are specified, you should select databases for data comparison using the **Select database** dialog.

To call this dialog, click the ellipsis button of the **Database** control at Step 1.




When you are done, press **OK** to apply the database selection.

© 2012 EMS Database Management Solutions

2.2.2 Selecting schemas for refreshing

Before you proceed to the Setting tables and fields correspondence step of the wizard, you are offered to specify the schemas to be refreshed using the **Select schemas for refreshing...** dialog.

Hint: For your convenience the **context menu** is available in both the **Source schemas** and **Target schemas** lists. Using the context menu you can *Check all*, *Uncheck all* and *Invert items* selection in the lists.



Refresh all schemas and don't show this window in the future
Set this option to specify all of your PostgreSQL schemas for refreshing and skip this dialog in the future sessions of the wizard.


Note: To activate/deactivate this dialog, use the *Show select schemas window* option in the General section of the Preferences dialog.

When you are done, press **OK** to proceed to Step 2 of the wizard.

© 2012 EMS Database Management Solutions

2.3 Step 2 - Setting tables and fields correspondence

At this step you should select objects for data comparison.




Setting table correspondence
The upper grid allows you to set correspondence between tables of the source and the target databases. If you wish to setup correspondence between tables (as well as between their fields) automatically on the basis of equivalence of their names, press the **Autofill tables and fields** button. If no correspondence is set for a table, it will not be included in the data comparison process.

For your convenience the **Mask for autofill** of object names is added. The filter is intended for excluding unnecessary tables from auto filling. You can use standard wildcards like asterix (*) or percent sign (%) which are the same, or the question mark (*?*). To exclude the object names set in the filter, use the exclamation mark (*!*) at the beginning, e.g. the result for *!T** stands for all objects except the object names starting with *T*. If any of these symbols presents the name of the object and you do need to apply filter to them, just double that symbol, e.g. the result for *!!T** will result in all objects with names that start with *!T*.

© 2012 EMS Database Management Solutions

Data filter
Click the button in the **Data Filter** column to set filter for comparing data. Only data within specified condition will be compared and synchronized.
Use \ buttons to **Add\Remove** conditions and drop-down lists to select column names and operators.

Note: You can apply either **OR** or **AND** operator between conditions.



Setting field correspondence
The lower grid allows you to set correspondence between table fields of the source and the target databases. If you wish to setup correspondence between table fields automatically on the basis of equivalence of their names, press the **Autofill fields** button. Please note that you can set field correspondence for fields of identical data types only. If no correspondence is set for a field, it will not be included in the data comparison process.

Tick off the checkboxes in the **Key Field** column for those fields which will be used as key columns to determine appropriate records in the tables being compared. Please keep in mind that you can define a key field only after a correspondence has been set for this field.

Note: you can define options for multiple tables/fields at a time by using the context menus implemented for your convenience in the **Setting table correspondence** and the **Setting field correspondence** grids.

Attention! You should define at least one **key field** for each pair of tables, otherwise they will be painted red, and you will be unable to proceed.

☑ **Ignore case when comparing strings**
Set this option for case-insensitive comparison of strings.

☑ **Compare BLOB values**


© 2012 EMS Database Management Solutions

Set this option to compare the content of BLOB fields.

Trim CHAR fields
Set this option to trim CHAR fields on synchronization. Note, that if data only contains spaces it will be regarded as empty string (''). If the option is off data is processes as is (including spaces at the end of the string).

Due to implementation of multithreaded comparison it is now possible to specify the **Number of comparison threads**.

When table comparison is complete the **Summary** dialog appears. This dialog provides you with common information about the result of table(s) comparison. The number of *identical*, *different*, *missing* and *additional* records for each pair of tables can be found at the corresponding columns of this report.



Check the **Do not show summary** option if there is no need in this dialog. The **Show summary dialog after comparison** option at the preferences dialog allows you to manage this dialog appearance. You can sort data in a column by clicking the column caption.

When you are done, press the **Next** button to proceed to the next step.

© 2012 EMS Database Management Solutions


© 2012 EMS Database Management Solutions

2.3.1 Using the context menus

For your convenience the **context menus** are implemented in the **Setting table correspondence** and the **Setting field correspondence** grids within Step 2 of the wizard.


To call a context menu, use standard Windows means (right-click the grid or use the *Shift+F10* shortcut).

The context menu of the **Setting table correspondence** grid allows you to:



- clear all table correspondences;
- clear the selected table correspondences (**Hint:** selection of two or more rows in the grid is performed with the **Ctrl** or the **Shift** key pressed);
- find the matching table name in the list of available tables and set the table into correspondence with the selected one.

The context menu of the **Setting field correspondence** grid allows you to:



- clear all field correspondences for the selected table;
- clear the selected field correspondences (**Hint:** selection of two or more rows in the grid is performed with the **Ctrl** or the **Shift** key pressed);
- set all fields of the table as key fields for the comparison process;
- unset all key fields.

© 2012 EMS Database Management Solutions

2.4 Step 3 - Browsing data comparison results

At this step the results of data comparison are represented. You can set options for each of the tables being compared.





Table name
The drop-down list of available tables allows you to select a pair of tables to view their data comparison results.
In the **Synchronize** column the pairs to be compared are checked.



The header of the **Key field** specified at the previous step is marked out with bold font.

© 2012 EMS Database Management Solutions

All data records are divided into several groups distinguished by different colors in the data comparison result grid:

identical records are the same in both tables;

different records are those having different data in one or more fields (text of different records is marked out with bold font);

missing records are the records found in the table of the source database, but not in the table of the target one;

additional records are the records found in the table of the target database, but missing in the table of the source one.

Note: To view the BLOB data, you can use internal **BLOB viewer**. To learn more, see Viewing BLOB data.

Use the check boxes column to filter records that you want to synchronize. If the record is checked then it will be changed in the target table.

You can sort data by the needed column. Simply click a column title to sort the data.

Use the following options to filter data:

View identical records
Select this option to view records which are identical in source dataset and target one.

View different records
Select this option to view records which vary from the source dataset to the target dataset.

Missing records
Use this option if records missing from the source dataset should be displayed at the comparison result list.


Additional records
Enable this option to view records missing from the target dataset.

Number of records on page
This value determines the quantity of records displayed as one page in the grid.

Use the  buttons for navigation through the pages.
To apply changes in filtering or **Number of records on page** options, you should use the **Refresh result list**  button.

Summary
Pressing the Summary button allows you to preview the result of object comparison.

© 2012 EMS Database Management Solutions



If an error occurs, the line is highlighted red. The error type is displayed in the hint that appears when moving the cursor over the error.

If necessary, you can **export comparison results** to *MS Excel*, *HTML, RTF or MS Excel 2007* using the corresponding dialog. See the Exporting comparison results page to learn more about this feature.

When you are done, press the **Next** button to proceed to the next step.


© 2012 EMS Database Management Solutions

2.4.1 Viewing BLOB data

Data Comparer for PostgreSQL provides a **BLOB viewer** for browsing the content of BLOB (Binary Large Object) fields being compared.
The tool can be invoked from the data grid at Step 3 by clicking the ellipsis button next to a record of the BLOB field. Use the combo-box control in the upper area of the viewer to specify the field for viewing.


Please note that **BLOB Viewer** is only available if the **Compare BLOB values** option has been checked at Step 2 of the wizard.

When working with the **BLOB viewer**, you can use the drop-down list in the top left corner of the window for quick navigation.
The drop-down list allows you to switch the source/target fields easily.




Switch between the **BLOB viewer** tabs to explore the field content.

The **Hexadecimal** tab allows you to view the BLOB data as hexadecimal dump.




The **Text** tab allows you to view the BLOB data as plain text.

© 2012 EMS Database Management Solutions



Specify text encoding in the **Encoding** drop-down list.


The **Rich Text** tab allows you to view the BLOB data in Rich Text format (RTF).



The **Image** tab allows you to view the BLOB data as an image.



The **HTML** tab allows you to view the BLOB data as HTML (Hyper-Text Markup Language format) - in the way this data would be displayed by your Internet browser.



© 2012 EMS Database Management Solutions

The **Multimedia** tab allows you to view the BLOB data as a multimedia (audio/video) file.

Use the **Play** , **Pause** , **Stop** buttons to navigate within the multimedia content.



Having finished browsing the BLOB data, you can close the editor and continue browsing data comparison results in the grid.

See also:

Exporting comparison results


© 2012 EMS Database Management Solutions

2.4.2 Exporting comparison results

When the comparison process is finished, you can **export comparison results** using the corresponding dialog.

To open the dialog, use the **Export result list** 

button which is available under the grid, on the right.



Export type
- *Current table* - export comparison results for the current table only.
- *All Tables* - export comparison results for all tables.

Export directory

Type in or use the  button to specify the output directory name and its location using the standard **Save As...** dialog.

Export format

This group allows you to select format of the output file:
- *MS Excel*
- *RTF*
- *HTML*
- *MS Excel 2007*

Record types

Use this group to define which records should be exported to the specified file:

- *Identical records* (colored in the grid)
- *Missing records* (colored in the grid)
- *Different records* (colored in the grid)
- *Additional records* (colored in the grid)

© 2012 EMS Database Management Solutions

If necessary, you can check the **Open output file after export** option to open the result file with the associated program.

Click the **Export** button to perform the operation. For your convenience the progress bar displays the operation progress.

© 2012 EMS Database Management Solutions

2.5 Step 4 - Specifying data synchronization options

At this step you can specify advanced data synchronization parameters.

Table synchronization options
These options define the direction of synchronization: from the source to the target or vice versa.

Synchronize in new table
Check this option to create a new table with the synchronization applied. In this case the name of the new table will be composed of the name of the source table and the user-defined **postfix** (*_sync* by default).

Insert additional records
Set this option to insert additional records to the destination tables.

Delete missing records
Set this option to delete missing records from the destination tables.


Update different records
Set this option to correct different records during the synchronization process.

Drop and create indexes
This option forces dropping and subsequent creation of indexes by using corresponding SQL statements in the target script. This option increases synchronization speed.
Note: Turn off the *Synchronize in new table* option to enable this option.

Disable triggers
By setting this option you can disable triggers to avoid undesirable effects during data synchronization.
Note: Turn off the *Synchronize in new table* option to enable this option.

Disable foreign keys
By setting this option you can disable **foreign keys** to avoid undesirable effects during data synchronization.
Note: Turn off the *Synchronize in new table* option to enable this option.

© 2012 EMS Database Management Solutions



Transaction preferences

Commit after synchronization
Use this option to commit transaction only when the entire synchronization process is complete. If an error occurs during synchronization, it will be possible to rollback all the changes made.

Commit after ... records
Define the number of records in each block of the synchronization script to be supplemented with the *COMMIT* statement.

Table synchronization order

Using dependencies
If this option enabled, synchronization order will be defined automatically according to table dependencies.

Manually
In this case synchronization order must be defined manually at Step 5.

© 2012 EMS Database Management Solutions

View synchronization script
If you select this option you will be able to view/edit the synchronization script at Step 6. Otherwise the next step will be skipped, and you will be forwarded to Step 7 upon pressing the **Next** button.


When you are done, press the **Next** button to proceed to the next step.

© 2012 EMS Database Management Solutions

2.6 Step 5 - Setting synchronization order

Use this step of the wizard to set table synchronization order. It is available only if the *manual table synchronization order* option was selected at the previous step.

Use the up and down buttons or drag and drop move the selected table pair in the list.



Click the **Next** button to proceed with the next step of the wizard.


© 2012 EMS Database Management Solutions

2.7 Step 6 - Editing synchronization script

This step of Data Comparer wizard allows you to view and edit the synchronization script. This step is only available if the ☑ **View synchronization script** option has been selected at Step 4.

Using the **Script Editor** area you can perform basic editing operations and / or toggle comments.

If necessary, you can save the result synchronization script to an external **.sql* file using the **Shift+Ctrl+S** shortcut or the **Save as...** toolbar button.



For your convenience the **syntax highlight**, **code completion** and a number of other features for efficient SQL editing are implemented.

The **context menu** of SQL Script Editor area contains most of the standard text-processing functions (*Cut*, *Copy*, *Paste*, *Select All*) and functions for working with the script as a whole, e.g. you can toggle *bookmarks*, *move the cursor to a particular line*. Most of these operations can be also performed with the corresponding hot keys used.

© 2012 EMS Database Management Solutions

Implementation of the Find Text / Replace Text dialogs and **Incremental search** bar contributes to more efficient work with the SQL code.

When you are done, press the **Next** button to proceed to the next step.

© 2012 EMS Database Management Solutions

2.7.1 Using the Find Text dialog

The **Find Text** dialog is provided for quick and flexible searching for specified text within the Script Editor working area.

To open this dialog, use the **Ctrl+F** shortcut or press the corresponding **Find Text** button on the toolbar. This item is also available in the context menu of the **Script Editor** area.


Text to find
Enter a search string in this box. The Arrow-Down button which can be found next to the input box allows you to select any of the previously entered search strings.

Options

Case sensitive
This option can be used to differentiate uppercase characters from lowercase ones during the search process.

Whole words only
Use this option to search for words only (with this option off, the search string might be found within longer words.)

Regular expressions
Recognizes regular expressions in the search string.



Direction

Forward
Searches from the current position to the end of the **Script Editor** area.

© 2012 EMS Database Management Solutions

Backward
Searches from the current position to the beginning of the **Script Editor** area.

Scope

Global
Searches within the entire **Script Editor** working area, in the direction specified by the *Direction* setting.

Selected text
Searches only within the currently selected text, in the direction specified by the *Direction* setting. You can use the mouse or block commands to select a block of text.

Origin

From cursor
The search starts at the cursor's current position, and then proceeds either forward to the end of the scope, or backward to the beginning of the scope depending on the *Direction* setting.

Entire scope
The search covers either the entire block of selected text or the entire script (no matter where the cursor is in the Editor area) depending upon the *Scope* options.

Mark search result with stack marker
The option toggles marking search results. If this option is selected, stack markers are set at all search positions - this makes it possible to jump from one marker (search result) to another within the text.

Click the **Show All** button to highlight every occurrence of the search string.

See also:

Using the Replace Text dialog

© 2012 EMS Database Management Solutions

2.7.2 Using the Replace Text dialog

The **Replace Text** dialog is provided for searching and replacing text within the Script Editor working area.

To open this dialog, use the **Ctrl+R** shortcut or press the corresponding **Replace Text** button on the toolbar. This item is also available in the context menu of the **Script Editor** area.

Text to find
Enter a search string in this box. The Arrow-Down button which can be found next to the input box allows you to select any of the previously entered search strings.

Text to replace
This box allows you to enter a string to replace the search string. The Arrow-Down button which can be found next to the input box allows you to select any of the previously entered strings. To replace the search string with an empty string, leave this input box blank.

Options

☑ **Case sensitive**
This option can be used to differentiate uppercase characters from lowercase ones during the search process.

☑ **Whole words only**
Use this option to search for words only (with this option off, the search string might be found within longer words.)


☑ **Regular expressions**
Recognizes regular expressions in the search string.

☑ **Replace with template**
This option requires the **Regular expressions** option selection.
Enable this option to use regular expressions in the **Text to replace** field. Expression used in this field will be applied to each string that matches the **Text to find** expression.

Note: The syntax of regular expressions that can be used in the Text to find and the Text to replace fields is similar to that used in Perl regular expressions. Comprehensive information about it can be found at http://perldoc.perl.org/perlre.html#Regular-Expressions.

☑ **Prompt on replace**
Check this option if you wish to be prompted before replacing upon each occurrence of the search string. When this option is off, the search string is replaced automatically.

© 2012 EMS Database Management Solutions



Scope

Global
Searches and replaces within the entire **Script Editor** working area, in the direction specified by the *Direction* setting.

Selected text
Searches and replaces only within the currently selected text, in the direction specified by the *Direction* setting. You can use the mouse or block commands to select a block of text.

Direction

Forward
Searches and replaces from the current position to the end of the **Script Editor** area.

Backward
Searches and replaces from the current position to the beginning of the **Script Editor** area.

Origin

From cursor
The search and replace process starts at the cursor's current position, and then proceeds either forward to the end of the scope, or backward to the beginning of the scope depending on the *Direction* setting.

© 2012 EMS Database Management Solutions

Entire scope
The search and replace process covers either the entire block of selected text or the entire script (no matter where the cursor is in the Editor area) depending upon the *Scope* options.

Mark search result with stack marker
The option toggles marking search results. If this option is selected, stack markers are set at all search positions - this makes it possible to jump from one marker (search result) to another within the text.

Click the **Replace All** button to replace every occurrence of the search string. If you have checked the **Prompt on replace** option, the confirmation dialog box appears upon each occurrence of the search string.

See also:
Using the Find Text dialog

© 2012 EMS Database Management Solutions


2.8 Step 7 - Specifying additional scripts

This step allows you to specify additional scripts to be executed for the source database before and/or after the main synchronization script execution.

Use the respective editors to create scripts: **Before synchronization script** and **After synchronization script**.

The statements can be typed in directly or pasted from the clipboard (use the context menu of the editing area for this purpose).

The **Save** and **Load** buttons provide saving/loading script file operations for the current editor window. The **Clear** button erases the text and clears the current editor window.



When you are done, press the **Next** button to proceed to the last step of the wizard.


© 2012 EMS Database Management Solutions

2.9 Step 8 - Start of synchronization process

This step is intended to inform you that all the synchronization parameters have been set, and you can now **start the synchronization process** itself.

☑ **Abort synchronization on error**
If this option is selected, the synchronization process is stopped upon any execution error.

☑ **Detailed error messages**
Tick off the checkbox to get the detailed error log displayed on the screen. The statements for which the execution resulted in errors will be listed in the **Data synchronization log** area.



If everything is correct, press the **Synchronize** button to start the process. If you want to change any options, you can return to any of the wizard steps using the **Back** button.

You can save process log into **.rtf* file or print it instantly using the corresponding buttons.


© 2012 EMS Database Management Solutions

Note: When you press the  print button, the utility saves the current log text as a temporary **.rtf* file to open it with the editor that is associated with this file extension in OS and then print.

Please do not forget to save comparison templates if you need to repeat the synchronization process with the same or similar settings later.

© 2012 EMS Database Management Solutions

Part




3 Using Configuration Files (Templates)

Data Comparer for PostgreSQL allows you to store its comparison and synchronization settings in external template (*.edc) files if you need to perform the data comparison/ synchronization process repeatedly.

You can load a previously saved template to the application wizard if you need to make some changes before data comparison, or you can run it with the console application for quicker comparison/synchronization.

- Saving templates
- Loading templates

Additionally to **the GUI version** which is implemented in the form of a wizard application, the installation package of Data Comparer for PostgreSQL includes **the console version** which is intended for being run from Windows command line with a template file name used as the execution parameter.



Data Comparer for PostgreSQL command line utility is intended for quick and powerful data comparison of PostgreSQL tables.

- Using the console application

See also:


Using application wizard

Setting program preferences

© 2012 EMS Database Management Solutions

3.1 Saving templates

Data Comparer templates are saved within the **Save template options** dialog. To open this dialog, press the **Tools** button and select the **Save template** popup menu item.




Templates can be saved at every step of the wizard.

Save template options

File name
Type in or use the button to specify the template file name and its location using the standard **Save As...** dialog.

Comment
If necessary, set a comment for your template file in this field.



Console options
These options determine the behavior of Data Comparer for PostgreSQL for the synchronization session. You can choose to **save** the synchronization script to a **.sql*

© 2012 EMS Database Management Solutions

file, specify the **script file name** and select its location using the button.

Execute script after creating
If this option is checked, after the script is generated it will be immediately executed by the console version of Data Comparer for PostgreSQL (console-only option).

Note that this option is only available for deselection if you have checked the **Save script to file** option.

Fill correspondence automatically
If this option is checked, the console ignores correspondence set at Step 2, and sets it automatically.

Password options

Save password in template
Set this option to remember the password(s) for accessing the database(s).
If this option is disabled, the password is prompted upon template load.


Encrypt password
The option enables/disables encryption of your passwords stored in template file. Please note that this option is only available if the **Remember password** option has been selected.

See also:
Loading templates


© 2012 EMS Database Management Solutions

3.2 Loading templates

Data Comparer templates are loaded within the **Open template** dialog. To open this dialog, press the **Tools** button and select the **Load template** popup menu item.



Please note that you can **reopen a template** at any step of the wizard using the corresponding popup menu item of the **Tools** menu.



You can *Clear template list* and *Clear not existing templates* using corresponding menu items.

When the template file is loaded, you are immediately forwarded to the Editing synchronization script step of the wizard. If necessary, you can return to any of the previous steps to make appropriate changes, or proceed to the last step of the wizard to start the synchronization process.

See also:

Saving templates

© 2012 EMS Database Management Solutions

3.3 Using Console Application

All the comparison options are set in **template** (**.edc*) files. A template can be also used in the **Console version** of Data Comparer for PostgreSQL.

To create a template file, follow the instructions below:

- start Data Comparer for PostgreSQL Application wizard;
- set all the required options in all steps of the wizard;
- test the comparison and synchronization process at the last step;
- save all comparison and synchronization options in the template.

The easiest way to start Data Comparer for PostgreSQL console application is to double-click the generated **.edc* template. The other way is to enter the command line and type the appropriate command.

Usage:
<path to Data Comparer for PostgreSQL console application>\PgDataComparerC.exe TemplateFile [-L] [-B]

TemplateFile
Stands for the **.edc* template file to be used as the console version execution parameter

[-L]
Selects current localization set in Wizard Application (GUI)

[-B]
Use this parameter in the command line to run the console version of Data Comparer for PostgreSQL in the background mode

[-LOG]
This parameter sets path to the log file. By default the log is written to the program's folder.

Example:

"C:\Program Files\EMS\Data Comparer for PostgreSQL\PgDataComparerC.exe" "C:\EMS\DataComparer\1st_sync.edc" -L -LOG"C:\Logs\datacomparer.log"

Note: The result of the latest task performed by Data Comparer for PostgreSQL can be found in the system variable '%ERRORLEVEL%'.
0 - successful completion;
1 - error(s) occurred during task performing;

See also:
Using GUI application
Configuration file format

© 2012 EMS Database Management Solutions

Part



4 Setting Program Preferences

Data Comparer for PostgreSQL provides full customization of the program by setting various options within the **Preferences** dialog. This chapter is intended to inform you how to use all these options.


General
These options define general behavior of Data Comparer for PostgreSQL.

Directories
On this page you can specify the directory into which cache will be loaded.

Language
On this page you can select a language to be applied to the GUI for your copy of Data Comparer for PostgreSQL.

Data font
On this page you can specify the fonts to be used to display data in grid at Step 3 of the wizard.

Interface
This branch contains several pages with a number of options allowing you to customize the application interface style according to your liking.



See also:
Using application wizard
Using templates

© 2012 EMS Database Management Solutions

4.1 General

General

Remember password
Set this option to remember the password(s) for accessing the database(s).

Encrypt password in registry
The option enables/disables encryption of your passwords stored in Windows Registry. Please note that this option is only available if the **Remember password** option has been selected.

Show table definition hints
This option enables/disables popup definition hints for the tables upon moving the cursor on their aliases (the Set tables and fields correspondence step of the wizard).


Save current options on exit
Setting this option allows you to save all the comparison options automatically upon closing the application.

Show summary dialog after comparison
If this option is enabled, comparison summary report will be displayed at Step 2.

Disable code folding in editors - disable the feature of the hierarchical script structure that allows hiding sub-objects in editors (Code folding).

Show schema selection dialog
If this option is checked, the list of PostgreSQL database schemas is displayed before you proceed to Step 2 of the wizard. The list allows you to select schemas to be refreshed.

© 2012 EMS Database Management Solutions



Messages

Confirm exit
Enables/disables confirmation upon exiting the program.

Show complete message
If this option is selected, the application returns the complete message when data synchronization process is completed at the Start of synchronization process step of the wizard.

Show all identical tables warning
Toggles displaying the warning message in case the compared tables are identical.

Confirm re-compare
If this option is selected, on attempt to re-compare data (e.g. when you need to return to Step 2 to change tables and/or fields correspondence) you will be prompted to confirm this action.

Show trigger disabling dialog
If this option is checked then the warning message asking about disabling triggers on synchronization is appeared after Step 4.

See also:


© 2012 EMS Database Management Solutions

Directories
Language
Data fonts
Interface

© 2012 EMS Database Management Solutions

4.2 Directories

Use custom directory for cache
If this option is enabled, cache is loaded into user's folder specified at "**Cache directory**". Recommended if no free space is left on the system disk. If it's off, cache is loaded into Temp folder of the current user.



See also:
General
Language
Data fonts
Interface


© 2012 EMS Database Management Solutions

4.3 Language

The **Language** page is provided for managing Data Comparer localization files.

You can specify your own localization file by creating **.lng* file similar to those available in the %program_directory%\Languages folder and place it there. After it your language will be added to the list of available languages.

In the **Languages** area the list of available languages and the names of the corresponding localization (**.lng*) files is displayed. Here you can choose the preferable language.



See also:

General

Directories

Data fonts


Interface

© 2012 EMS Database Management Solutions

4.4 Data font

The **Data font** page is provided for setting up the fonts for displaying data in grid at Step 3 of the GUI wizard.

Use the drop-down lists to select the preferable **font** and **charset**.



See also:


General
Directories
Language
Interface

© 2012 EMS Database Management Solutions

4.5 Interface

The **Interface** section of the **Preferences** dialog allows you to choose the application interface style according to your liking.

Use the **Scheme name** drop-down list to select an interface scheme according to your liking: *Office 11, Office XP, Office 2k Windows XP and Classic* styles.



Below the **Scheme name** drop-down list you can view sample controls of the chosen scheme.

© 2012 EMS Database Management Solutions

Part V

5 Appendix

5.1 SSH tunneling options


To setup the connection via **SSH tunnel**, input the following values in the corresponding fields:

- **SSH host name** is the name of the host where SSH server is running
- **SSH port** indicates the port where SSH server is activated
- **SSH user name** stands for the user on the machine where SSH server is running (**Note:** it is a Linux/Windows user, not a user of PostgreSQL server)
- **SSH password** is the Linux/Windows user password

Please note that PostgreSQL **host name** should be set relatively to the SSH server in this case. For example, if both PostgreSQL and SSH servers are located on the same computer, you should specify *localhost* as **host name** instead of the server external host name or IP address.

☑ **Use Private Key for authentication**
If the SSH encryption is enabled on the SSH server, a user can generate a pair of cryptographic keys (the **Private key** and the **Public key**). The **Public key** is placed on the SSH server, and the **Private key** is the part you keep secret inside a secure box that can only be opened with the correct passphrase (or an empty string as the passphrase). When you wish to access the remote system, you open the secure box with your passphrase (if any), and use the private key to authenticate yourself with the Public key on the remote Linux computer.

SSH Key file
Specify the location (the secure box) of the **Private key** file on your local machine. Supported Private Key file formats are:
OpenSSH
Putty
SSH.com
Note that you need to trust your local machine not to scrape your passphrase or a copy of your Private key file while it is out of its secure box.



© 2012 EMS Database Management Solutions

5.2 HTTP tunneling options

To use **HTTP tunneling**, just upload the tunneling script to the webserver where PostgreSQL server is located, or to any other webserver from which direct connections to your PostgreSQL server are allowed. This script exposes the PostgreSQL API as a set of web-services used by Data Comparer for PostgreSQL.

In case of using this connection method the response will be slower as compared to the direct connection or the SSH Tunneling method, since the data are XML encoded and HTTP is stateless by nature. However, all the features of Data Comparer for PostgreSQL are available.

Note that the *emsproxy.php* script file is included into the distribution package and can be found in Data Comparer installation directory.

© 2012 EMS Database Management Solutions

5.3 Configuration file format

The **configuration** (**template**) **file** used by Data Comparer for PostgreSQL is divided into several sections, each corresponding to a particular group of settings specified at different steps of the GUI application wizard.

[#General#]
This section stores general information about the utility:

Parameter	*Description*
Product	internal product name
Version	major version

[#SourceDB#]
This section stores connection parameters for the *source* database. The parameters correspond to the values entered at Step 1 of the Wizard application and are obligatory.

Parameter	*Description*
Host	host where the source database resides (if **Remote** = *1*)
Port	port on which PostgreSQL is listening
Remote	*0* = local connection *1* = remote connection
DBName	source database name
Login	PostgreSQL login
Password	password to identify the login (encrypted)
Charset	client character set specified for the connection
FontCharset	the parameter is not used by Data Comparer for PostgreSQL
TunnelType	indicates the tunneling type being used: SSH, HTTP, or none (**TunnelType** = *ttNotUse*)
SSHHostName	name of the host where SSH server is running
SSHPort	port on which SSH server is activated
SSHUserName	user on the machine where SSH server is running
SSHPassword	password to identify SSH server user (encrypted)
SSHKeyFile	path to the Private Key used for the SSH connection (if **SSHUseKeyFile** = *True*)
SSHUseKeyFile	*True* = SSH Private Key is used *False* = SSH Private Key is not used
HTTPUrl	URL to the *emsproxy.php* script file uploaded to your web-server (for **HTTP** tunneling)

[#TargetDB#]
This section stores connection parameters for the *target* database. The parameters correspond to the values entered at Step 1 of the Wizard application and are obligatory. The set of parameters is the same as for the source database (**[#SourceDB#]**).

[#Options#]
This section stores comparison options. The parameters correspond to the values specified at Step 2 and Step 3 of the Wizard application.

© 2012 EMS Database Management Solutions

Parameter	*Description*
Blobs	*0* = BLOB fields are not specified for comparison *1* = BLOB fields are specified for comparison
IgnoreCase	*0* = case is considered when comparing strings *1* = case is ignored when comparing strings
FillIdentical	*0* = identical records are not displayed at Step 3 of the wizard *1* = identical records are displayed at Step 3 of the wizard
ViewRecordsCount	number of records displayed on one page at Step 3 of the wizard
ThreadCount	number of comparison threads
SavePassword	*0* = Password is not saved in template file *1* = Password is saved in template file
PasswordEncripted	*0* = Password is not encrypted in template file *1* = Password is encrypted in template file
TrimCharFields	*0* = CHAR fields are trimmed on synchronization *1* = CHAR fields are not trimmed on synchronization
CompareOnServerSide	*0* = comparison is performed on the client *1* = comparison is performed on the server

[#SyncOptions#]
This section stores synchronization options. The parameters correspond to the values specified at Step 4 and Step 7 of the Wizard application.

Parameter	*Description*
TargetToSource	*0* = synchronization from source to target *1* = synchronization from target to source
TablePostfix	postfix added to the synchronization table name (if **SyncInNewTable** = *1*), by default *_sync*
SaveScript	*0* = synchronization script is saved to an external file upon saving template *1* = synchronization script is not saved
DisableTriggers	the parameter is not used by Data Comparer for PostgreSQL
ScriptFileName	path to the file into which the synchronization script is saved (if **SaveScript** = *0*)
InsertMissRecs	*0* = missing records are ignored during synchronization *1* = missing records are inserted during synchronization
DeleteAddRecs	*0* = additional records are ignored during synchronization *1* = additional records are deleted during synchronization
UpdateDiffRecs	*0* = different records are ignored during synchronization *1* = different records are updated during synchronization
SyncInNewTable	*0* = synchronization is performed in the source (if **TargetToSource** = *1*) or in the target (if **TargetToSource** = *0*) table *1* = a new table is created and the synchronized data are inserted into the table
CreateComputed	the parameter is not used by Data Comparer for PostgreSQL
LoadToScriptEditor	*0* = synchronization script is not loaded to Script Editor *1* = synchronization script is loaded to Script Editor and displayed at Step 5 of the wizard
AbortExecuteOnError	*0* = synchronization process is not stopped if an error occurs *1* = synchronization process is stopped upon any execution error
DetailErrors	*0* = detailed error log is not displayed *1* = detailed error log is displayed on the screen at Step 7 of the wizard

© 2012 EMS Database Management Solutions

ExecuteScript	*0* = synchronization script is not executed automatically *1* = synchronization script is executed automatically by the console version after template creation
DropIndexes	*0* = table indexes are not considered *1* = table indexes are dropped and then recreated in the synchronization script
CommitAlter	number of committed records in the synchronization script
Autofill	0 = tables correspondence set at Step 2, will not be set automatically 1 = tables correspondence will be set automatically

[#Comment#]
This section stores the template file comment as specified optionally in the Save template options dialog:

Parameter	*Description*
Line<N>	comment text

where *N* stands for the comment line identifier

Example:
Line0=Data Comparer for PostgreSQL
Line1=Template file
Line2=Data synchronization #1

[#SrcAfterScript#]
This section stores the text of the script executed for the source database after data synchronization, as specified at Step 6 of the Wizard application.

Parameter	*Description*
Item_Count	number of lines
Line<N>	script text

where *N* stands for the script line identifier

Example:
Item_Count=2
*Line0=/*AFTER synchronization*/*
*Line1=/*script to be executed for the source database*/*

[#TrgAfterScript#]
This section stores the text of the script executed for the target database after data synchronization, as specified at Step 6 of the Wizard application.

Parameter	*Description*
Item_Count	number of lines
Line<N>	script text

where *N* stands for the script line identifier

Example:
Item_Count=2
*Line0=/*AFTER synchronization*/*

© 2012 EMS Database Management Solutions

*Line1=/*script to be executed for the target database*/*

[#SrcBeforeScript#]
This section stores the text of the script executed for the source database before data synchronization, as specified at Step 6 of the Wizard application.

Parameter	*Description*
Item_Count	number of lines
Line<N>	script text

where *N* stands for the script line identifier

Example:
Item_Count=2
*Line0=/*BEFORE synchronization*/*
*Line1=/*script to be executed for the source database*/*

[#TrgBeforeScript#]
This section stores the text of the script executed for the target database before data synchronization, as specified at Step 6 of the Wizard application.

Parameter	*Description*
Item_Count	number of lines
Line<N>	script text

where *N* stands for the script line identifier

Example:
Item_Count=2
*Line0=/*BEFORE synchronization*/*
*Line1=/*script to be executed for the target database*/*

[SrcSchemas]
This section stores the list of source database schemas specified for comparison.

Parameter	*Description*
Item_Count	number of schemas
Line<N>	schema name

where *N* stands for the schema item identifier in the list

Example:
Item_Count=1
Line0=DEMO

[TrgSchemas]
This section stores the list of target database schemas specified for comparison.

Parameter	*Description*
Item_Count	number of schemas
Line<N>	schema name

where *N* stands for the schema item identifier in the list

© 2012 EMS Database Management Solutions

Example:
Item_Count=2
Line0=TEST
Line1=PRODUCTION

[Table<N>]
Sections of this type contain table/field correspondences (*N* stands for the correspondence identifier), as specified at Step 2 of the Wizard application.

Parameter	*Description*
#SourceTable#	source table name
#TargetTable#	target table name
Synchronize	*0* = tables will not be synchronized *1* = tables **#SourceTable#** and **#TargetTable#** are specified for synchronization
#SourceOwner#	schema/owner of the source table (**#SourceTable#**)
#TargetOwner#	schema/owner of the target table (**#TargetTable#**)
<field_name>	corresponding target table field
<field_name>_CompareKey	*0* = the field is not used as key column for data comparison *1* = the field is used as key column for data comparison

Example:
[Table0]
#SourceTable#=EMPLOYEE
#TargetTable#=EMPLOYEE_UPD
Synchronize=1
#SourceOwner#=DEMO
#TargetOwner#=PRODUCTION
EMP_ID=EMP_NO
EMP_ID_CompareKey=1
FIRST_NAME=FIRST_NAME
FIRST_NAME_CompareKey=0
LAST_NAME=LAST_NAME
LAST_NAME_CompareKey=0

© 2012 EMS Database Management Solutions

Credits

Software Developers:

Michael Kuzevanov

Alexey Butalov

Dmitry Schastlivtsev

Alexander Zhiltsov

Technical Writers:

Dmitry Doni

Olga Ryabova

Serge Slobodenyuk

Semyon Slobodenyuk

Cover Designer:

Tatyana Makurova

Translators:

Anna Shulkina

Serge Fominikh

Team Coordinators:

Alexey Butalov

Alexander Chelyadin

Roman Tkachenko

© 2012 EMS Database Management Solutions